



McCloskey
Environmental



T-512R

WHEELED TROMMEL

The ET-512R Trommel provides McCloskey Environmental's customers with the functionality of our highly successful screener line-up with our patented radial conveyor. The ET-512 trommels are best suited for mid-size operations requiring portability and proven screening performance.

As the top selling mid-size portable trommel in North America, the ET-512 offers a combination of high production rates, versatility, ease of use and unrivalled strength that has ensured this screener's popularity with top soil producers, contractors, and landscape supply operators.

FEATURES

- 5'x12' heavy duty trommel drum
- Wheeled mobility
- Integrated hydraulic folding stockpiling conveyors
- 55 kW (74 hp) engine
- Fast on-site setup time (10 minutes)
- Remote control radial conveyor



McCloskey Environmental

TROMMEL DRUM

Features a 5' x 12' steel drum, with numerous drum and screen options available.

HOPPER CAPACITY

Hopper capacity of 3.4m³ (4.5yd³) with extensions for greater efficiency.

RADIAL CONVEYOR

Radial conveyor offers the trommel a 4.5m (14' 9") stockpile height.

BRUSHES

Ground level adjustable brushes keep the screen clean and rotate away from drum for ease of drum change.

WHEELED MOBILITY

Unit with 2 single axles.



DIMENSIONS AND CAPACITIES

ENGINE	55KW (74HP)	WEIGHT	12,250KG (27,000 LBS)	HOPPER CAPACITY	3.4M ³ (4.5YD ³)
TRANSPORT HEIGHT	4.14M (13' 6")	WORKING HEIGHT	4.66M (15' 3.5")	DRUM	5' X 12' (1.52M X 3.66M)
TRANSPORT LENGTH	14.60M (47' 10.5")	WORKING LENGTH	4.5M (14' 9")		
TRANSPORT WIDTH	2.59M (8' 6")	STOCKPILE HEIGHT	4.5M (14' 9")		

© Copyright 2024 McCloskey Environmental. All rights reserved. McCloskey is a trademark of McCloskey International.

McCloskey Environmental reserves the right to make changes to the information and design of the machines on this brochure without reservation and notification to the users. Information at time of print considered accurate – McCloskey Environmental assumes no liability resulting from errors or omissions in this document.